

# X55

## Piede Orientabile con Base e Stelo in Acciaio Inox AISI 304


### Levelling Foot with AISI 304 Stainless Steel Base and Stud

**INOX**  
Stainless Steel

Cod.	A	M	B	C	H	Chiave Spanner	Carico Max Max Load daN	U.V.
A5X55/12070	55	12MA	70	110	26	10	1500	8
A5X55/14108	55	14MA	108	148	26	12	1500	8
A5X55/16058	55	16MA	58	102	26	13	2000	8
A5X55/16119	55	16MA	119	163	26	13	2000	8
A5X55/16145	55	16MA	145	189	26	13	2000	8
A5X55/16201	55	16MA	201	245	26	13	2000	8
A5X55/20107	55	20MA	107	151	26	17	2000	8
A5X55/20135	55	20MA	135	179	26	17	2000	8
A5X55/20157	55	20MA	157	201	26	17	2000	8
A5X55/20190	55	20MA	190	234	26	17	2000	8
A5X55/20238	55	20MA	238	282	26	17	2000	8
A5X55/24090	55	24MA	90	139	26	13	2000	8
A5X55/24127	55	24MA	127	176	26	13	2000	8
A5X55/24162	55	24MA	162	211	26	13	2000	8
A5X55/24201	55	24MA	201	250	26	13	2000	8
A5X55/30125	55	30MA	125	174	26	13	2000	8
A5X55/30185	55	30MA	185	234	26	13	2000	8



Ø55



#### Caratteristiche

##### Materiale Base:

Anima interna in poliammide + FV;  
rivestimento esterno in acciaio inox AISI 304; antivibrante in gomma termoplastica SEBS 55 shore colore nero.

##### Materiale Stelo: Acciaio inox AISI 304

##### Tipo Stelo: Girevole

##### Presentazione Prodotto:

Stelo fornito assemblato alla base

##### Note:

L'antivibrante costampato consente una perfetta aderenza con la base in acciaio. La conseguente assenza di cavità interne rende il piede estremamente sanificabile.

#### Product specification

##### Base Material:

Internal part made of reinforced polyamide; external covering made of stainless steel AISI 304; anti-slip pad made of SEBS Rubber 55 shore black colour.

##### Spindle Material: Stainless steel AISI 304

##### Spindle Type: Revolving

##### Product Presentation:

Spindle supplied assembled to the base

##### Note:

The comoulded anti-slip rubber pad adheres perfectly to the steel base thus the absence of internal cavities makes the foot extremely easy to clean and sanitize.